



# Air Volution



**SunnCamp**

# Introduction

For over 35 years SunnCamp has been manufacturing outdoor products including Caravan Awnings, Motor Awnings, Trailer Tents and Tents. Our aim is to produce the best range of meticulously designed, exceptionally well-made and fantastic value products that will give you and your family the best outdoor experience. All our products are made from specially developed fabrics and have a vast range of features and attention to detail.

# Contents

Page 2	<b>Introduction</b>
Page 3	<b>SunnCamp Fabrics</b>
Page 4	<b>Air Volution – Pole Free Inflatable Pitching</b>
Page 5-7	<b>Enhance your SunnCamp Experience</b>
Page 8-11	<b>Icon Air/Esteemed Air – Full Touring Awnings</b>
Page 12-23	<b>SunnCamp Air Volution Porch Awnings &amp; Sun Canopies</b>
Page 24-35	<b>SunnCamp Poled Porch Awnings &amp; Sun Canopies</b>
Page 36	<b>SunnCamp Air Volution Motor Awnings</b>
Page 37-43	<b>SunnCamp Poled Motor Awnings</b>
Page 44-45	<b>SunnCamp Poled Tents/Windbreaks/Utility Tents</b>
Page 46	<b>Spares/Replacement Parts</b>
Page 47	<b>Glossary</b>



## Fabrics

All SunnCamp fabrics comply with the latest British Standard Flame Retardant Regulations

### SunnCamp's ACE-TECH Fabric



Our **ACE-TECH** fabric comes in various weights and is coated with layers of a specific mix of PU waterproof coating which has been evenly and uniquely applied so that the fabric offers protection from the elements and UV light.

### SunnCamp's PRO-TEK 300D Fabric



A super strength 300 denier high density fabric which has been developed by SunnCamp's technical team.

**PRO-TEK 300D** offers four times the tensile strength as standard 75D fabric and new improvements and technical developments have allowed our fabric to be specially woven and coated with layers of waterproof coating which have been evenly and uniquely applied so that the fabric keeps its ultra flexibility and softness, yet sits suitably in shape.

**PRO-TEK 300D's** high tensile strength offers increased protection from the elements.

Our **PRO-TEK 300D ERP** (Enhanced Roof Profile) roof fabric further complements the appearance of our products and provides a homely ambience.

### 150D Oxford/150D Oxford Ripstop Fabric



A high quality fabric (twice as thick as regular flysheets) providing improved protection from the weather and UV light. Our ripstop version has the same specification but has been woven using a special reinforcing technique where reinforcement threads are woven at regular intervals in a crosshatch pattern making the fabric more resistant to tearing.



## Single Inflation

## Air Volution – Pole Free Inflatable Pitching

In place of conventional poles, SunnCamp's Air Volution products are pre-fitted with durable air tubes which are enclosed in a heavy duty double layer sleeve, providing an extremely secure and stable structure when inflated and guyed.

### Setting up is easy...

Attach the inflator pump to the valves in the air tubes and inflate until you reach the correct pressure of 7 psi. Close the valves and your product is ready for use. Air tubes should be inflated to 7 psi.

We utilize two inflation systems within our range of products. Please check individual entries for clarification.

- Single Inflation – this system allows all beams to be inflated at one time from one inflation point.
- Multi Inflation – this system allows each section to be inflated separately from multiple inflation points.

### Air Volution Advantages

- Quick, simple and effortless pitching and take down
- Robust maintenance free inflatable tubes replace conventional poles
- Products can in most cases easily be erected by one person



## LED Lighting System Starter Pack

(EL3001)

**Ideal for: Inflatable or Poled Awnings, Motor Awnings & Tents**

**Includes:**

- 2 x 1m LED light strips with magnets and tie cables
- 1 x 5m cable/1 x 3m cable/1 x 60cm cable/1 x 30cm cable
- 1 x remote control (with in line sensor)
- 1 x UK Plug (approx. 1m cable)
- 1 x 12V cigarette socket (approx. 3m cable)
- Add on Kit available (EL3002)



## LED Light Sleeves

(AC3000)

**Suitable for all SunnCamp Air Volution models (dual inflation)**

**Pack comprises of 2 sleeves**

- Recommended for use with: SunnCamp LED Lighting System (EL3001) & Add on Kit (EL3002)
- Sleeves Velcro onto inflatable storm bars
- LED Lights easily insert into sleeves via zipped PVC section
- Sleeve length 1 metre (approx.)

**Illuminate your Awning /Tent**



## LED Lighting System Add on Kit

(EL3002)

**Pack size: 8**

**Includes:**

- 1 x 1m LED light strips with magnets and cable tidies
- 1 x 3m cable
- 1 x 60cm cable
- 1 x 30cm cable



## 12V Electric Pump

(AC3000)

**Suitable for all SunnCamp Air Volution models**

- Powered by car 12V socket
- Can inflate up to 16 psi
- Cuts out at pre-set pressure
- Extra long 10m cable
- Two nozzle fittings

**Ideal for all Air Awnings and Air Tents**



## Roof Linings

Roof Linings are available for some models. Please ask your stockist for further information or email [info@sunncamp.co.uk](mailto:info@sunncamp.co.uk)



## Bespoke Breathable Awning Groundsheets

Available for all models that don't have a sewn in groundsheet, these can be laid under your Luxury Awning Carpet to protect your carpet and/or can be used on their own to help address wet ground conditions/awning condensation. As they are breathable, they will not kill the grass they are used on.



## Luxury Carpet

Complement your awning with our specially woven carpet whilst adding a touch of luxury

(colour and design may vary)



## Swift Extreme/ Swift Air SC/ Swift SC Dash Air SC Buckle-Fit Sun Canopy

Our **NEW** buckle fit on side canopy will fit either or both sides of your awning, allowing you to add an extra protected outdoor area as required.



## Storm Bar Kits

Storm Bar Kits to complement your awning are available for various Air Volution models.

Please ask your stockist for further information or email [info@sunncamp.co.uk](mailto:info@sunncamp.co.uk)



## Packing Pads

These PACKING PADS (AC2020) are designed to fill the gap in-between the end of your awning air poles and the side of your caravan or motorhome, improving the fit.



## Storm Buckles

If your awning does not have storm buckles included, you can purchase either our AIR VOLUTION STORM BUCKLES (DT0083) or VELCRO ON STORM BUCKLES (DT0082) which enable you to use our webbing straps to secure your awning.



## Awning Seal Set

Use this INFLATABLE AWNING SEAL SET (AC71003) to help seal your awning to your caravan preventing draughts and improving the fit and movement of the awning.



## Canopy Poles

Many of our awnings have a canopy option and in order to utilize this option, you will need to purchase our CANOPY POLES (DT0032).



## Rear Pad Poles

Please note that your caravan awning comes complete with rear pads but REAR PAD POLES (DT0052) are an optional extra.

We recommend that you only use genuine SunnCamp poles as these are shaped to fit the pole pockets in the awning. These poles are adjustable and help obtain the correct tension using the pole's adjustable quick lock bracket.



# Icon Air® Full Touring Awning

Compatible with **ICON AIR ANNEXE** (SI1000)

### Features:

- Air Volution Single Inflation
- Secondary mesh on side doors
- Zip in mesh panels for all other panels
- LED light pockets (for optional LED light system)
- Compatible with optional roof lining
- Removable panels (all with veranda option) dependant on size (950 – 975cm = 4 panels, 975 – 1100cm = 5 panels)
- Multi-zip curtains on all windows
- External peggable mud wall for extra weather protection (PVC mesh)
- Draught skirt with ventilation panels
- Pre-attached storm buckles and webbing straps
- Includes packing pads x 4 pieces
- Manual pump included
- SunnCamp's enhanced roof profile (ERP)
- Optional annexe available (includes twilight inner tent)




Add space with our optional **ICON AIR ANNEXE** (SI1000)

### Available Sizes:

Size 13 (SI 2013)	Size 14 (SI 2014)	Size 15 (SI 2015)	Size 16 (SI 2016)	Size 17 (SI 2017)	Size 18 (SI 2018)
950 – 975cm	975 – 1000cm	1000 – 1025cm	1025 – 1050cm	1050 – 1075cm	1075 – 1100cm

### Floor Plan - showing Optional Annexe



# Maximum living space... Innovative design, quality construction...

ICON AIR® - model shown size 18




Internal view

**Single Inflation**


Simple, effortless pitching and inflation

## Layout:

Size: 950-975cm **(Size 13)**



Size: 975-1100cm **(Size 14-18)**



**Includes Pump**  
with gauge and dump valve

**Includes Storm Buckles & Straps**

**Includes Veranda Pole** x1

**Includes Draught Skirt**

**Includes AIR Flow**  
Zip In/Out Ventilation Panels

**Includes Packing Pads** x4



The Icon Air has been designed as a Full Touring Awning, however we do not recommend it be sited for permanent use. We also advise, against siting on permanent style pitches as damage can be caused through natural contact and friction to the base materials of the awning.



# Esteemed Air Full Touring Awning

Compatible with **ESTEEMED AIR ANNEXE** (SI1000)

## Features:


- Air Volution Single Inflation
- Removable interchangeable side panels with secondary mesh
- LED Light Pockets (for optional LED light system)
- SunnCamp's enhanced roof profile (ERP)
- Removable panels with veranda option
- Multi-zip curtains on all windows
- External peggable mud wall for extra weather protection (PVC mesh)
- Draught skirt with ventilation panels
- Pre-attached storm buckles and webbing straps
- Pre-attached guylines
- Optional annexe available (includes twilight inner tent)

## Available Sizes:

Size 11 (SE1011)	Size 12 (SE1012)	Size 13 (SE1013)	Size 14 (SE1014)
900 – 925cm	925 – 950cm	950 – 975cm	975 – 1000cm
Size 15 (SE1015)	Size 16 (SE1016)	Size 17 (SE1017)	Size 18 (SE1018)
1000 – 1025cm	1025 – 1050cm	1050 – 1075cm	1075 – 1100cm


Our Esteemed AIR full touring, single inflation awning, with similar features to our Icon AIR full awning but with a depth of 250cm. Multi-zip curtains, removable roll down panels and LED pockets for use with SunnCamp's optional LED light system. A left or right fit annexe is also available, ensuring you have all the attributes required for a perfect holiday.

## Floor Plan - showing Optional Annexe





## Layout:

Size: 825-975cm **(Size 11-13)**



Size: 975-1100cm **(Size 14-18)**



**ESTEEMED AIR size 14**

*... effortless comfort with unsurpassed quality and features*



ESTEEMED AIR model shown size 14 closed curtains



Add extra space with our optional ESTEEMED AIR ANNEXE (SI1000)

ESTEEMED AIR model shown size 14 with optional annexe



Optional LED Light System



AIR VOLUTION Single Inflation System



# Inceptor Air Extreme 390/330

(SF1900/SF1901)

**Compatible with AIR ANNEXE PLUS** (SF7813)

**Compatible with APARTAIR** (SF8008-R/SF8008-L)


## Features:

- Air Volution Single Inflation
- Compatible with Air Annexe Plus – will fit onto either side of awning
- Compatible with ApartAIR – left and right fit available
- Interchangeable, removable side panels with secondary mesh
- Removable front panels
- Two zip in/out airflow panels (1 x front right/1 x front left)
- Veranda option on all panels
- LED light pockets (for optional LED light system)
- SunnCamp's enhanced roof profile (ERP)
- Window lights in roof (with curtains)
- Curtains on all windows/Multi-zip curtains on front windows
- External peggable mud wall for extra weather protection (PVC mesh)
- Vertical storm pole pockets
- Draught skirt with ventilation panels
- **Height range: 235cm – 250cm**

	390	330	Annexe	ApartAIR
<b>Approx. Pack Size:</b>	79cm x 43cm	79cm x 42cm	65cm x 25cm	72cm x 28cm
<b>Approx. Weight:</b>	30kg	26kg	7.5kg	12kg

Manufactured incorporating SunnCamp's Air-Volution **SINGLE INFLATION** technology our Inceptor Air Extreme 390 and 330 porch awnings have great features, including but not limited to, multi-zip curtains, 325cm depth, LED light pockets, an external peggable mud wall for extra weather protection and offers annexe and/or apartair compatibility. This awning looks genuinely magnificent and offers stunning panoramic views.

## Floor Plans



**AIR ANNEXE PLUS** (SF7813)  
**WITH REAR ZIP ACCESS**

Breathable Annexe Groundsheet  
Available: DT0066

**Includes** Twilight Inner Tent

**APARTAIR**  
**LEFT HAND FIT** (SF8008L)  
**& RIGHT HAND FIT** (SF8008R)  
**AVAILABLE**

Breathable Groundsheet  
Available: DT0037

Luxury Carpet Available: BC1004

- Includes** Pump with gauge and dump valve
- Includes** Storm Buckles & Straps
- Includes** Draught Skirt
- Includes** AIR Storm Bars **x6**
- Includes** Veranda Pole
- Includes** AIR Flow Zip In/Out Ventilation Panels **x2**
- Includes** Rear Weather Poles



# INCEPTOR AIR EXTREME 330

See page 23 for available accessories to complement your awning



INCEPTOR AIR EXTREME Model shown with optional annexe and left hand fit optional ApartAIR



... panoramic views from the inside and its superb appearance from the outside...





Roof lining available

# SWIFT AIR EXTREME 390

# Swift Air Extreme 390/325

(SF2001/SF2002)


Compatible with **BUCKLE-FIT SIDE SUN CANOPY** (SF2004)

### Features:

- Single Inflation
- Compatible with optional roof lining
- Side sun canopy compatibility – buckle fit on either side of awning
- Roll up front door with canopy option (Poles optional extra)
- LED light pockets (for optional LED light system) – 390 x 3 / 325 x 1
- SunnCamp's enhanced roof profile
- Zip curtains on all windows – Multi-zip style on front main window
- Air flow side doorways
- External PVC mesh peggable mud wall for extra weather protection
- Centre pocket for optional roof pole (390 model only)
- Vertical storm pole pocket (390 model only)
- **Height range: 235cm – 250cm**
- Zip on side sun canopy available (optional)
- Roof lining available (optional)

Our **SWIFT AIR EXTREME** porch awnings have been designed and created based on our Swift Air awnings but are manufactured using our Air Evolution **SINGLE INFLATION** technology and our **300D PRO-TEK** fabric with a PVC mesh external peggable mud wall for extra weather protection. Packed with features such as LED light pockets, zipped curtains on all windows and side sun canopy compatibility, this awning offers a simple and uncomplicated set up and take down but with a high specification.

### Floor Plans



	390	325
Approx. Pack Size:	80cm x 32cm	80cm x 30cm
Approx. Weight:	19kg	13kg

- Includes Pump with gauge and dump valve
- Includes LED Light Pockets **x3** 390
- Includes AIR Storm Bars **x3** 390
- Includes LED Light Pockets **x1** 325
- Includes AIR Storm Bars **x1** 325
- Includes Vertical Storm Pole 390
- Includes Draught Skirt



(SF2001)

High specification with simple and uncomplicated set up

Optional  
2 Berth  
Inner Tent  
Available  
(SF1905)



Optional two berth inner tent shown inside **SWIFT AIR 260**

Optional buckle fit canopy (SF2004)



Designed based on our **SWIFT AIR AWNINGS** using our single inflation technology but with a higher specification keeping a simple and uncomplicated set up and take down

# Swift Air SC 390/325/260/220


(SF2026/SF2027/SF2028/SF2029)

Compatible with **BUCKLE-FIT SIDE SUN CANOPY** (SF2004)

## Features:

- **NEW** side sun canopy compatibility – buckle fit on either side of awning
- Compatible with optional roof lining
- Roll up front door with canopy option (poles optional extra)
- LED light pockets (for optional LED light system)  
390 and 325 model only 390 x 1 / 325 x 1
- Curtains on all windows
- Air flow side doorways
- External peggable mud wall for extra weather protection
- Centre pocket for optional roof pole (DT0091-B)
- Vertical storm pole pocket (390 only)
- Draught skirt included
- **Height Range: 235 - 250cm**

Floor Plans



	390	325	260	220
<b>Approx. Pack Size:</b>	79cm x 32.5cm	69cm x 31cm	65cm x 30cm	64cm x 29cm
<b>Approx. Weight:</b>	13kg	11kg	10kg	8kg
<b>Air Storm Bars</b>	x 3 included x 2 optional	x 1 included x 2 optional	optional extra x 2 optional	optional extra x 2 optional

With a great new contemporary exterior design, our **SWIFT AIR SC RANGE** is simple and uncomplicated to erect and take down, stylish and fantastic value for money. Available in four sizes additional new features include roof lining compatibility, **SIDE SUN CANOPY COMPATIBILITY** and our 390 and 325 model have an LED light pocket incorporated into one air storm bar. Our **NEW** buckle fit on side canopy will fit either or both sides of your awning, allowing you to add an extra protected outdoor area as required.

- Includes Pump with gauge and dump valve
- Includes AIR Storm Bars **x3** 390
- Includes AIR Storm Bars **x1** 325
- Includes Storm Buckles & Straps
- Includes Vertical Storm Pole 390
- Includes Draught Skirt

See page 23 for details of optional extras

## SWIFT AIR 390 (SF2026)



# NEW upgraded specification



Buckle-fit optional side canopy (SF2004)



Luxury carpet shown inside a Swift 325 Deluxe

Easy to erect, stylish and fantastic value for money ...

**SWIFT AIR 390** (SF2026)



**SWIFT AIR 325** (SF2027)



Optional 2 Berth Inner Tent Available (SF1905)



**SWIFT AIR 260** shown with optional two berth inner tent

# Ultima Versara Air 390/300

(SF1903/SF1930)

Compatible with **ULTIMA VERSARA POLED ANNEXE** (SF1913)

## Features:

- Optional POLED annexe available (SF1913) – right hand side fit
- Roll up front panels with canopy option (Poles optional extra)
- Removable side (right) panel with secondary mesh and veranda option
- Left airflow side doorway
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Vertical storm pole pockets
- Optional inner tent available (SF7024)
- Includes AIR storm bars (390 x 3 / 300 x 2)
- Draught skirt included
- **Height Range: 235 - 250cm**

**Includes Pump**  
with gauge and dump valve

**Includes AIR Storm Bars**

**Includes Storm Buckles & Straps**

**Includes Draught Skirt**

	390	300	Annexe
<b>Approx. Pack Size:</b>	78cm x 32cm	78cm x 31cm	69cm x 22cm
<b>Approx. Weight:</b>	15kg	12kg	7.5kg
<b>Air Storm Bars</b>	x 3	x 2	N/A


Using SunnCamp's profile which gives enhanced headroom, coupled with great features, including compatibility with our Versara Annexe on one side, these awnings remain a firm favourite in our porch awning range.

## ULTIMA VERSARA AIR 390 (SF1903) shown with optional annexe



Optional  
2 Berth  
Inner Tent  
Available  
(SF7024)

## Floor Plans



## ULTIMA VERSARA AIR 300 (SF1930)




Removable side panel for optional annexe

## ULTIMA VERSARA POLED ANNEXE (SF1913)

Breathable Annexe Groundsheet Available: DT0066

**Includes Twilight Inner Tent**



Optional  
2 Berth  
Inner Tent  
Available  
(SF1905)

# Dash Air SC 390/325/260/220

(SF2069/SF2068/SF2030/SF2031)

## Features:

- **NEW** side sun canopy compatibility – buckle fit on either side of awning
- Compatible with optional roof lining
- Roll up front door with canopy option (Poles optional extra)
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Centre pocket for optional roof pole
- Draught skirt included
- **Height Range: 235 - 250cm**


**NEW** for 2021 are two new sizes in our **DASH AIR SC RANGE, 390 and 325**. Manufactured in our **75D ACE-TECH** fabric, incorporating our proven **AIR VOLUTION TECHNOLOGY** with a front panel that can be rolled up or used as a canopy and with **SIDE SUN CANOPY** compatibility on either side of the awning.

	390	325	260	220
<b>Approx. Pack Size:</b>	78cm x 31cm	68cm x 30cm	64cm x 29cm	63cm x 28cm
<b>Approx. Weight:</b>	12.6kg	10.6kg	9.6kg	7.6kg
<b>Air Storm Bars</b>	x 3 included	x 1 included	optional extra x 2 optional	optional extra x 2 optional

## DASH AIR 260 (SF2030)



## Floor Plans



- Includes Pump with gauge and dump valve
- Includes Storm Buckles & Straps
- Includes Draught Skirt
- Includes AIR Storm Bars **x3** 390
- Includes AIR Storm Bars **x1** 325



Optional annexe (SF1913)

# Swift Air Sun Canopy

## 390/325/260

(SF2012/SF2011/SF2013)

### Features:

- Dual beading 7.2mm/4.2mm
- Zip open/roll up sides
- **Height Range: 235 - 250cm**

**Includes Pump**  
with gauge and dump valve




**Includes AIR Storm Bars** **x3** **390**

**Includes Storm Buckles & Straps**

**Includes AIR Storm Bars** **x1** **325**

### Floor Plans



	390	325	260
<b>Approx. Pack Size:</b>	80cm x 26cm	80cm x 24cm	80cm x 22cm
<b>Approx. Weight:</b>	10kg	6.5kg	5.5kg
<b>Air Storm Bars</b>	x 3 included x 2 optional	x 1 included x 2 optional	x 2 optional

An **AIR** version of our **SWIFT SUN CANOPY** – stylish and easy to set up and available in three sizes – perfect for your holidays!

This awning is fitted with **DUAL BEADING** allowing it to fit into most pre-fitted rails or the majority of fitted wind out blinds (check compatibility with your dealer).

## SWIFT AIR 325 SUN CANOPY (SF2011)



Perfect quick erect Sun Canopy



Roll up/down sides



Roll up/down sides

# Arco Air Canopy 300


(SF2014)

## Features:

- Dual beading 7.2mm/4.2mm
- Roll up zip front panels with canopy option (poles optional extra)
- Vertical storm pole pocket
- Optional air storm bars available
- **Height Range: ideal 220cm to 265cm with 240cm depth but will fit higher and lower (with compromised depth)**
- **Depth: ideal to be pitched at 240cm but can be greater or lower**
- **Approx. Pack Size: 80cm x 26cm**
- **Approx. Weight: 8.5kg**

Our **ARCO AIR SUN CANOPY** can be pitched at variable heights/depths offering flexibility with curve appeal. With roll up zip front panels, canopy option and **DUAL BEADING**.

## Floor Plan



**Includes Pump**  
with gauge and dump valve

**Includes AIR Storm Bars** x2

**Includes Storm Buckles & Straps**

Quick erect sun canopy which can be pitched at variable heights



\* The 7.2mm beading on these canopies allows fitting to most UK caravans and the 4.2mm beading allows fitting to most motor caravans in conjunction with a fitted rail or aftermarket wind out blind. This canopy will fit campervans with a corresponding rail size.


# View Air Sun Canopy 325

(SF2015)

## Features:

- Dual beading 7.2mm/4.2mm
- Roll out roof curtain with toggle fixing
- External peggable mud wall
- Optional storm bars available
- **Height Range: 235cm – 250cm**
- **Approx. Pack Size: 80 x 24cm**
- **Approx. Weight: 7kg**

## Floor Plan



This awning is fitted with **DUAL BEADING** allowing it to fit into most pre-fitted rails or the majority of fitted wind out blinds (check compatibility with your dealer).

Includes Pump with gauge and dump valve



Includes AIR Storm Bars x1



Includes Storm Buckles & Straps



A unique and stylish sun canopy with dual beading



Model	Luxury Awning Carpet	Breathable Groundsheet	Rear Poles	Veranda Pole	Additional Air Storm Bars	Optional Roof Pole	Canopy Pole Set	Annexe	Vertical Storm Pole	Inner Tent	Roof Lining	Buckle-on Sun Canopy	Packing Pads	12V Pump	LED Lighting
Icon Air	YES*	N/A	N/A	DT0091	N/A	N/A	N/A	SI1000	DT0052	N/A	YES*	N/A	AC2020	AC3000	EL3001/2
Esteemed Air	YES*	N/A	N/A	DT0091	N/A	N/A	N/A	SI1000	DT0052	N/A	N/A	N/A	AC2020	AC3000	EL3001/2
Icon/Esteemed Air Annexe	N/A	DT0066	N/A	N/A	N/A	N/A	DT0032	N/A	N/A	✓ Included	N/A	N/A	AC2020	AC3000	EL3001/2
Inceptor Air Extreme 390	BC1010	DT0055	✓ Included	✓ Included	SF7787 (x3)	N/A	N/A	SF7813/SF8008	DT0052	N/A	SF4002	N/A	AC2020	AC3000	EL3001/2
Inceptor Air Extreme 330	BC1012	DT0061	✓ Included	✓ Included	N/A	N/A	N/A	SF7813/SF8008	DT0052	N/A	SF4003	N/A	AC2020	AC3000	EL3001/2
Swift Air Extreme 390	BC1008	DT0038	DT0052	N/A	SF7789W (x2)	DT0091-B	DT0032	N/A	DT0052	SF1905	SF2063	SF2004	AC2020	AC3000	EL3001/2
Swift Air Extreme 325	BC1006	DT0053	DT0052	N/A	SF7788W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2062	SF2004	AC2020	AC3000	EL3001/2
Swift Air SC 390	BC1008	DT0038	DT0052	N/A	SF7789W (x2)	DT0091-B	DT0032	N/A	DT0052	SF1905	SF2063	SF2004	AC2020	AC3000	EL3001/2
Swift Air SC 325	BC1006	DT0053	DT0052	N/A	SF7788W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2062	SF2004	AC2020	AC3000	EL3001/2
Swift Air SC 260	BC1004	DT0037	DT0052	N/A	SF7786W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2061	SF2004	AC2020	AC3000	EL3001/2
Swift Air SC 220	BC1003	DT0046	DT0052	N/A	SF7785W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2060	SF2004	AC2020	AC3000	EL3001/2
Ultima Versara Air 390	BC1008	DT0038	DT0052	DT0091	SF7847 (x3)	N/A	DT0032	SF1913	N/A	SF7024	N/A	N/A	AC2020	AC3000	EL3001/2
Ultima Versara Air 300	BC1017	DT0059	DT0052	DT0091	SF9400 (x2)	N/A	DT0032	SF1913	N/A	SF7024	N/A	N/A	AC2020	AC3000	EL3001/2
Dash Air SC 390	BC1008	DT0038	DT0052	N/A	SF7789W (x2)	DT0091-B	DT0032	N/A	DT0052	SF1905	SF2063	SF2004	AC2020	AC3000	EL3001/2
Dash Air SC 325	BC1006	DT0053	DT0052	N/A	SF7788W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2062	SF2004	AC2020	AC3000	EL3001/2
Dash Air SC 260	BC1004	DT0037	DT0052	N/A	SF7786W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2061	SF2004	AC2020	AC3000	EL3001/2
Dash Air SC 220	BC1003	DT0046	DT0052	N/A	SF7785W (x2)	DT0091-B	DT0032	N/A	N/A	SF1905	SF2060	SF2004	AC2020	AC3000	EL3001/2
Swift Air 390 Canopy	BC1008	DT0038	N/A	N/A	SF7789W (x2)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	AC2020	AC3000	EL3001/2
Swift Air 325 Canopy	BC1006	DT0053	N/A	N/A	SF7788W (x2)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	AC2020	AC3000	EL3001/2
Swift Air 260 Canopy	BC1004	DT0037	N/A	N/A	SF7786W (x2)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	AC2020	AC3000	EL3001/2
Arco Air Canopy 300	BC1017	DT0059	N/A	N/A	SF9400	N/A	DT0032	N/A	N/A	N/A	N/A	N/A	AC2020	AC3000	EL3001/2
View Air 325 Canopy	BC1006	DT0053	N/A	N/A	SF7788W	N/A	N/A	N/A	N/A	N/A	N/A	N/A	AC2020	AC3000	EL3001/2

Optional extras are available to purchase through your retailer or by emailing [info@sunnecamp.co.uk](mailto:info@sunnecamp.co.uk)

\* Contact your dealer or email SunnCamp on [info@sunnecamp.co.uk](mailto:info@sunnecamp.co.uk)

Optional  
2 Berth  
Inner Tent  
Available  
(SF7024)

# Ultima Versara 390/260

(SF1911/SF1912)

Compatible with Right Hand Fit ANNEXE (SF1913)

## Features:

- Roll up panels with canopy option (Poles optional extra)
- Removable side (right) panel with secondary mesh and veranda option
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Sleeps two with optional inner tent (SF7024)
- Steel and fibreglass frame
- Optional right hand fit annexe available (SF1913)
- Airflow left side doorway
- **Height Range: 235-250cm**


Includes  
Internal Roof bars **x2**

Includes  
Storm Buckles

Includes  
Draught Skirt

	390	260	Annexe
<b>Approx. Pack Size:</b>	76cm x 30cm	76cm x 28cm	69cm x 20cm
<b>Approx. Weight:</b>	21kg	18kg	6kg


## Floor Plans



## ULTIMA VERSARA POLED ANNEXE (SF1913)

Breathable Annexe Groundsheet Available: DT0066

Includes  
Twilight Inner Tent



## ULTIMA VERSARA 260 (SF1912)

Check out  
optional  
extras  
available on  
page 35



ULTIMA VERSARA 260 with optional annexe

Our much-loved Ultima models in SunnCamp's original profile/shape with enhanced headroom and living space. Our **ULTIMA VERSARA 390** and **260** models are compatible with our **VERSARA ANNEXE** which fits on the right side of the awning.

**ULTIMA VERSARA 390** (SF1911)



Optional right hand fit Annexe



ULTIMA VERSARA 390 with optional annexe

**ULTIMA VERSARA 260** (SF1912)



... enhanced headroom and living space

# Toldo 390/260 (SF2017/SF2018)


Compatible with **TOLDO ANNEXE** (SF2019)

- Includes Roof Poles **x3** **390**
- Includes Roof Poles **x3** **260**
- Includes Storm Buckles

## Features:

- Optional annexe available (fits both sides)
- Front door with canopy option (poles optional extra)
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Two removable side doorways – half window/ half mesh
- Veranda option on side panels (poles optional extra)
- Steel and fibreglass frame
- Pockets in roof for optional roof poles
- **Height Range: 235-250cm**


## Floor Plans



## TOLDO ANNEXE (SF2019) WITH REAR ZIP ACCESS

Breathable Annexe Groundsheet Available: DT0066

Includes Twilight Inner Tent



	390	260	Annexe
<b>Approx. Pack Size:</b>	80cm x 30cm	80cm x 27cm	69cm x 22cm
<b>Approx. Weight:</b>	14kg	11kg	7.5kg
<b>Roof Pole:</b>	x 3 included x 2 optional	x 3 included	N/A

A new design based on our **SWIFT DELUXE AWNINGS** .....manufactured using a slightly different profile, allowing us to incorporate two removable side doors, allowing the use of our optional **TOLDO ANNEXE** on either side of the awning or both sides to create extra sleeping or storage space.

## TOLDO 390 (SF2017)

A practical reliable awning with



optional L/H or R/H fit annexe available

Optional  
Annexe  
Available left  
hand or right  
hand fit  
(SF2019)

**TOLDO 260** (SF2018)



Simple to erect and take down

Rear zip access



**TOLDO ANNEXE** (SF2019)

# Swift Deluxe SC 390/325/260/220

(SF2064/SF2065/SF2066/SF2067)

Compatible **BUCKLE-FIT SUN CANOPY** (SF2004)

Includes Roof Poles **x3**


Includes Draught Skirt

Includes Storm Buckles

## Features:

- **NEW** Buckle fit Side Sun Canopy compatibility (both sides)
- Compatible with optional roof lining
- Front door with canopy option (Poles optional extra)
- Curtains on all windows
- External peggable mud wall for extra weather protection
- Two side doorways (390 & 325 only with airflow doorways)
- Roof pockets for optional roof poles
- Steel and fibreglass frame
- **Height Range: 235 - 250cm**
- **Optional roof lining available**
- **Optional 2 berth inner tent available**

## Floor Plans



	390	325	260	220
<b>Approx. Pack Size:</b>	79cm x 26cm	79cm x 24cm	78cm x 22cm	78cm x 21cm
<b>Approx. Weight:</b>	11.5kg	7.7kg	6.8kg	6.3kg
<b>Roof Poles:</b>	x 3 included	x 1 optional extra	x 1 optional extra	x 1 optional extra

Simple to put up and take down, these practical, reliable and stylish awnings have been given a **NEW** stylish look. Offering fantastic value for money and available in four sizes, **ADDITIONAL NEW FEATURES** include roof lining compatibility and **SIDE SUN CANOPY COMPATIBILITY**. Our new buckle fit side sun canopy will fit either or both sides of your awning, allowing you to add an extra protected area as required.

## SWIFT DELUXE 325 (SF2065)



Breathable  
groundsheets  
& luxury  
carpets  
available for all  
porch awnings

Optional  
2 Berth  
Inner Tent  
Available  
(SF1905)

Additional NEW features include optional ROOF LINING  
and SIDE SUN CANOPY COMPATIBILITY



Optional 2 berth inner tent

Simple, practical, reliable  
and stylish ...




Buckle-fit optional side canopy (SF2004)

# Arco Sun Canopy 260 (SF2021)

## Features:

- Dual beading 7.2mm/4.2mm
- Two roll up front panels with canopy option (poles optional extra)
- Suitable for caravans, motorhomes and campervans
- Fibreglass and steel frame
- Includes 2 x roof poles
- **Fits: Variable heights – profile changes with height used at 240cm width**

## Floor Plan



- Includes Storm Buckles 
- Includes Roof Poles **x2** 

Our **ARCO SUN CANOPY** can be pitched at variable heights/depths offering flexibility with curve appeal. With roll up zip front panels with canopy option, this canopy has **DUAL BEADING** allowing it to fit most pre-fitted rails or the majority of fitted wind out blinds (check compatibility with your dealer).

Perfect for your holidays



Roll up panels with canopy options

# Swift Sun Canopy 390/330/260/200

(SF8000/SF8004/SF7690/SF1914)

## Features:


- Steel and fibreglass frame
- Side windows
- **Height Range: 235cm-250cm**

Check out optional extras available on page 35

	390	330	260	200
<b>Approx. Pack Size:</b>	79cm x 18cm	77cm x 15cm	76cm x 17cm	75cm x 15cm
<b>Approx. Weight:</b>	7kg	6.4kg	6kg	5kg
<b>Roof Poles:</b>	x 1	X	X	X

Quick, simple and easy to put up and take down. This stylish Sun Canopy is available in four sizes, the 200 model is perfect also as a door porch/canopy.

## Floor Plans



## SWIFT SUN CANOPY 330 (SF8004)



... stylish and easy to set up!

**SWIFT SUN CANOPY 200** (SF1914)

**SWIFT SUN CANOPY 390** (SF8000)

# View Sun Canopy 325 (SF2023)

## Features:

- Dual beading 7.2mm/4.2mm
- Roll out roof curtain with toggle fixing
- External peggable mud wall
- Steel and fibreglass frame

Includes  
Storm Buckles



Includes  
Roof Poles

x1

A unique and stylish sun canopy offering a great outlook. This canopy comes with **DUAL BEADING** allowing it to fit most pre-fitted rails or the majority of fitted wind out blinds (check compatibility with your dealer).

A unique and stylish sun canopy offering great views



# Sunnshield Universal Sun Canopy 390/280/240

(SF8003/SF8002/SF8001)

## Features:

- Dual beading 7.2mm/4.2mm – 240 model only
- Attaches directly to caravan
- Three sizes available
- Maximum front height 200cm

	390	280	240
<b>Product Dimensions:</b>	390cm x 218cm	280cm x 218cm	240cm x 218cm
<b>Approx. Pack Size:</b>	65cm x 11cm x 11cm	65cm x 10.5cm x 10.5cm	65cm x 10cm x 10cm
<b>Approx. Weight:</b>	4.9kg	3.7kg	3.4kg

A simple sun canopy with beading which fits directly onto your caravan. Our 240 model has **DUAL BEADING** which allows the canopy to fit the majority of wind out blinds (check compatibility with your dealer).

A simply and practical sun canopy ...



Our 240 model has dual beading!!

Optional  
Roof  
Support/Leg  
Pole available  
(DT0092)

# Protekta - Roll Out Sun Canopy

## Features:

- Minimum front height approximately 190cm
- Approximate projection 218cm
- Front leg adjustable heights: 192cm/204.5cm/217cm/229.5cm
- Aluminium frame

## Optional Extras

Roof support/leg pole (DT0092)

7' Front Wall and 2 x Side Wall fits 192cm/204.5cm height (SF7832)

7' Front Wall and 2 x Side Wall fits 217cm/229.5cm height (SF7833)

10' Front Wall and 2 x Side Wall fits 192cm/204.5cm height (SF7834)

10' Front Wall and 2 x Side Wall fits 217cm/229.5cm height (SF7835)

13' Front Wall and 2 x Side Wall fits 192cm/204.5cm height (SF7836)

13' Front Wall and 2 x Side Wall fits 217cm/229.5cm height (SF7837)

	7 Foot (SF7771)	10 Foot (SF7772)	13 Foot (SF7773)
<b>Approx. Pack Size:</b>	110cm x 10cm x 20cm	162cm x 10cm x 20cm	208cm x 10cm x 20cm
<b>Approx. Weight:</b>	4.6kg	5.7kg	6.8kg

The Protekta Sun Canopy is designed for those who require a simple, easy to use, fair weather sunshade. The canopy simply unfolds from the protective bag, the frame attaches in position and after pegging the guy ropes, you are ready to start your holiday.



PROTEKTA - shown with Wall Pack

... simple  
& easy  
to use ...

Model	Luxury Awning Carpet	Breathable Groundsheet	Veranda Pole	Rear Pad Poles	Canopy Pole Set	Roof Pole	Inner Tent	Roof Lining	Canopy	Annexe	Webbing Straps	LED Lighting
Ultima Versara 390	BC1008	DT0038	DT0091-B	DT0052	DT0032	✓ Included	SF7024	N/A	N/A	SF1913	DT0067/96	EL3001/2
Ultima Versara 260	BC1004	DT0037	DT0091-B	DT0052	DT0032	✓ Included	SF7024	N/A	N/A	SF1913	DT0067/96	EL3001/2
Todo 390	BC1008	DT0038	DT0077	DT0052	DT0032	DT0095	N/A	N/A	N/A	SF2019	DT0067/96	EL3001/2
Todo 260	BC1004	DT0037	DT0077	DT0052	DT0032	N/A	N/A	N/A	N/A	SF2019	DT0067/96	EL3001/2
Swift Deluxe SC 390	BC1008	DT0038	N/A	DT0052	DT0032	DT0091-B	SF1905	SF2063	SF2004	N/A	DT0067/96	EL3001/2
Swift Deluxe SC 325	BC1006	DT0053	N/A	DT0052	DT0032	DT0091-B	SF1905	SF2062	SF2004	N/A	DT0067/96	EL3001/2
Swift Deluxe SC 260	BC1004	DT0037	N/A	DT0052	DT0032	DT0091-B	SF1905	SF2061	SF2004	N/A	DT0067/96	EL3001/2
Swift Deluxe SC 220	BC1003	DT0046	N/A	DT0052	DT0032	DT0091-B	SF1905	SF2060	SF2004	N/A	DT0067/96	EL3001/2
Swift Canopy 390	BC1008	DT0038	N/A	N/A	N/A	DT0091-B	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2
Swift Canopy 330	BC1026	DT0053	N/A	N/A	N/A	DT0091-B	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2
Swift Canopy 260	BC1004	DT0037	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2
Swift Canopy 200	BC1027	DT0102	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2
Arco Canopy 260	BC1017	DT0059	N/A	N/A	DT0032	✓ Included	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2
View Canopy 325	BC1006	DT0053	N/A	N/A	N/A	✓ Included	N/A	N/A	N/A	N/A	DT0067/96	EL3001/2

Optional extras are available to purchase through your retailer or by emailing [info@sunnecamp.co.uk](mailto:info@sunnecamp.co.uk)

# Swift Verao Air Van 260

## TALL / LOW (SF2024/SF2025)


A great quick pitch inflatable non-drive-away shelter with dual beading

### Features:

- Non drive-away
- Dual beading 6.2mm/4.2mm
- Curtains on all windows
- Side doors with airflow doorways
- External peggable mud wall for extra weather protection
- **Fits Vans Low: 185cm-200cm Tall: 250cm-265cm**
- **Approx. Pack Size: 65cm x 30cm**
- **Approx. Weight: 10kg**

Designed as a quick fit non-drive away shelter with added **DUAL BEADING** allowing it also to fit into most fitted wind out blinds or pre-fitted/aftermarket rails (check with your dealer). With quick pitch and take down it makes an ideal shelter at a fantastic price!

### Floor Plans



**Includes Pump**  
with gauge and dump valve

**Includes Storm Buckles & Straps**

Optional  
2 Berth  
Inner Tent  
Available  
(SF1905)



Model shown with optional canopy pole set


# Swift Van 325

## TALL / LOW (SF8045/SF8044)

### Features:

- Wheelchair access
- Airflow doorways
- Zipped rear access panel
- Curtains on all windows
- Tunnel privacy screen
- Sewn in groundsheet
- Central clip privacy curtain
- Cable entry point and tidy system
- **Fits Motorhomes: Tall: 240cm – 270cm  
Low: 180cm – 210cm**
- **Pack Size: 80cm x 28cm/Approx. Weight: 11kg**

### Floor Plan



Created and designed, based on our hugely successful range of Swift Deluxe caravan awnings, our **SWIFT VAN** awning is easy to erect, stylish and fantastic value for money.

Available in a 'Tall' and 'Low' tunnel height with **WHEELCHAIR ACCESS**, airflow doorways and a roll up front door (with canopy option) this motorhome awning is a firm favourite!

Easy to pitch, with wheelchair access - fantastic value for money ...



Front door wheelchair access

Includes Storm Buckles 

Includes Figure of 8 Fixing 

Includes Roof Poles 

**SWIFT VAN 325 TALL** (SF8045)


# Silhouette 225 Motor Plus

[SF7870]

## Features:

- Large side window
- Zipped rear access panel
- Extra wide roll back front door
- Eyebrow porch
- Tunnel privacy screen
- Sewn in groundsheet
- Cable entry point and tidy system
- **Fits up to 240cm**
- **Pack Size: 74cm x 23cm x 23cm approx.**
- **Weight: 9kg approx.**

## Floor Plan



A straightforward motor annexe offering standing height with an extra wide front door....



**Includes**  
Storm Buckles 

**Includes**  
Figure of 8 Fixing 



Large side window with ventilation



Eyebrow porch

The Silhouette has plenty of features ...


# Motor Buddy 250/300XL

(SF7777/SF8015)

## Features:

- Curtains on all windows
- Zipped rear access panel
- Side panels include half window half mesh ventilation
- Fibreglass frame
- 300 XL model – integral annexe with inner tent included
- **Fits Motorhomes up to 240cm**
- **250 model - Pack size: 19cm x 76cm/Weight 7.8kg approx.**
- **300XL model - Pack size: 77cm x 26cm/ Weight: 15.1kg approx.**

## Floor Plans



The success of our Motor Buddy drive away motor awning continues and is now available in two sizes, the original 250 and a 300XL model. Both offer similar features however the 300XL comes with a fixed annexe which is ideal for sleeping or extra storage.

Includes Figure of 8 Fixing

## MOTOR BUDDY 250 (SF7777)



... our 300XL model comes with a fixed annexe which is ideal for sleeping or extra storage



## MOTOR BUDDY 300XL (SF8015)


# Lodge 200 Motor (SF7776)

## Features:

- Roll up front door with canopy option (poles optional extra)
- Sewn in groundsheet
- Curtains on all windows
- Side window with ventilation
- Fibreglass frame
- **Fits Motorhomes up to 240cm**
- **Pack Size: 20 x 69cm/Weight: 8.1kg approx.**

Our smallest motor annexe is compact yet packed with useful features. The Lodge is easy to erect and take down.

## Floor Plan



Includes Figure 8 Fixing 



Easy to pitch and take down....

# Swift Verao 260 Van


## TALL / LOW (SF1917/SF1916)

### Features:

- Non drive-away
- Dual beading 6.2mm/4.2mm
- Curtains on all windows
- Steel and fibreglass frame
- Side doors
- External peggable mud wall for extra weather protection
- **Fits Vans Low: 185-200cm Tall: 250-265cm**
- **Approx. Pack Size: 69cm x 29cm**
- **Approx. Weight: 9.6kg**

Designed as a quick fit non-drive away shelter with **DUAL BEADING** allowing it to fit into most pre-fitted/aftermarket rails or the majority of fitted wind out blinds on the market (check compatibility with your dealer). With quick pitch and take down it makes an ideal shelter.

### Floor Plan



An ideal shelter - easy to pitch and take down with dual beading



Optional  
2 Berth  
Inner Tent  
Available  
(SF1905)

.....fit into most pre-fitted/aftermarket rails or the majority of fitted wind out blinds on the market

# Swift Van Canopy 260


## TALL / LOW (SF1915/SF8016)

### Features:

- Non drive-away
- Dual beading 6.2mm/4.2mm
- Steel and fibreglass frame
- Side windows
- **Fits Vans Low: 185-200cm Tall: 250-265cm**
- **Approx. Pack Size: 77cm x 15cm**
- **Approx. Weight: 6.5kg**

Designed as a quick fit non-drive away shelter with **DUAL BEADING** allowing it to fit into most pre-fitted/aftermarket rails or the majority of fitted wind out blinds on the market (check compatibility with your dealer). With quick pitch and take down it makes an ideal fair weather shelter.

### Floor Plan



Quick and easy pitch with dual beading ...



## Air Volution Motor Awnings

Model	Luxury Carpet	Footprint/ Groundsheet	Roof Pole	Additional Air Storm bars	Canopy Pole Set	Inner Tent	Drive Away Awning Kit	Magnetic Drive Away Awning Kit	Packing Pads	12V Pump	Awning Seal Set
Swift Verao Van Air 260 Tall	BC1004	DT0037	DT0091-B	SF7786W	DT0032	SF1905	DT0084	DT0200	AC2020	AC3000	AC71003
Swift Verao Van Air 260 Low	BC1004	DT0037	DT0091-B	SF2101	DT0032	SF1905	DT0084	DT0200	AC2020	AC3000	AC71003

## Poled Motor Awnings

Model	Luxury Carpet	Footprint/ Groundsheet	Roof Pole	Canopy Pole Set	Inner Tent	Drive Away Awning Kit	Magnetic Drive Away Awning Kit	Awning Seal Set
Swift Van 325 Low and Tall	BC1006	DT0053	N/A	DT0032	N/A	DT0084	DT0200	AC71003
Silhouette Motor 225 Plus	CC1139	FC1058	N/A	N/A	N/A	DT0084	DT0200	AC71003
Motor Buddy 250	N/A	DT0056	N/A	DT0032	N/A	DT0084	DT0200	AC71003
Motor Buddy 300 XL	N/A	DT0068	N/A	DT0032	N/A	DT0084	DT0200	AC71003
Lodge 200 Motor	N/A	N/A	N/A	DT0032	N/A	DT0084	DT0200	AC71003
Swift Van Canopy 260 Low and Tall	BC1004	DT0037	N/A	N/A	N/A	DT0084	DT0200	AC71003
Swift Verao 260 Van Low and Tall	BC1004	DT0037	DT0091-B	DT0032	SF1905	DT0084	DT0200	AC71003

Optional extras are available to purchase through your retailer or by emailing [info@sunnecamp.co.uk](mailto:info@sunnecamp.co.uk)

# Silhouette 200 (SF1329)


## Features:

- Extra wide front door
- Pre-fitted twilight inner tent
- Curtains on all windows
- Sewn in groundsheet
- Eyebrow porch
- Steel and fibreglass frame
- **Centre Height: 220cm**
- **Pack Size: 65 x 24cm**
- **Weight: 11kg approx.**

Available Optional Extras:	200
Footprint Groundsheet	FC1039
Webbing Straps	DT0096/DT0067

Our **SILHOUETTE 200** model is perfect for the single camper or a couple looking to go away on a camping holiday. Offering standing height and pre-fitted inner tents, making set up simple.

## Floor Plan



Includes Storm Buckles 

Includes Twilight Inner Tent 

A compact tent which is perfect for Single or duo campers with the advantage of standing height!



# Windjammer

(SF3029 Grey)

### Features:

- Steel poles
- **Size: 500 x 140cm approx.**
- **Pack Size: 56 x 9cm**
- **Weight: 2.5kg approx.**



The perfect windbreak


# Utility Buddy

(SF3031)

### Features:

- Fibreglass frame
- Heavy duty SunnCamp zips
- Handy storage pockets
- Roll back 'J' door
- Reflective strip guy lines
- Windows with external window cover
- Supplied with pegs for main pegging points
- Centre height approx. 210cm
- Comes with carry/storage bag
- Optional Extra Breathable groundsheet available (DT0056)

### Floor Plan



Simple, practical UTILITY TENTS offering extra space for storage etc for short and long term holidays


# Utility Lodge

(SF3032)

### Features:

- Strong steel frame
- Heavy duty SunnCamp zips
- Rear vented panel
- Roll up front panel with canopy option (poles optional extra)
- Groundsheet included
- Centre height approx. 210cm
- Reflective strip guy lines
- Supplied with pegs for main pegging points
- Comes with carry/storage bag

### Floor Plan



## Valves

Replacement spare valves are available to purchase, please confirm which colour valves you require when ordering.

SF1311 – Black (pack of 2)

SF1305 – Grey (pack of 2)

SF1318 – White (pack of 2)



## Webbing Straps and Guy Lines

Your awning is supplied with guy lines and/or webbing storm straps. Guy lines and Storm straps will need replacing from time to time due to wear and tear.



<b>Grey Webbing Straps with hi vis strip</b>	(pack of 2)	DT0096
<b>Yellow Webbing Straps</b>	(pack of 2)	DT0067
<b>Grey Guy Lines</b>	(4 x 4m lengths)	DT0086
<b>Yellow Guy Lines</b>	(4 x 4m lengths)	DT0015

## Replacement Bladders

Replacement bladders are available to purchase – We need to know your model name and the position of your bladder within your awning to assist you.



## Replacement Poles

Replacement poles are available to purchase for items in our current range.



# Glossary

## Non standard specification/features:

### Dual beading:

Various models are fitted with dual beading to allow additional fitting to most fitted wind out blinds or pre-fitted/after market rails.

### Storm pole pocket:

Certain models have an integral storm pole pocket and when used in conjunction with our optional upright poles (DT0052) can be used in certain conditions to aid stability and help water dispersal. Check individual entries for details.

### Air flow doorway:

A separate ventilated mesh panel incorporated behind a door panel This can be rolled back or zipped in place to aid airflow and reduce condensation whilst keeping bugs out. Check individual entries for details.

### Sewn in groundsheet:

All tents and certain motor awnings models come with a sewn in groundsheet system offering protection from insects, dust, the elements etc. Check individual entries for details.

### Veranda option:

Certain awnings come with a veranda option which allows you to fold the panel of your awning over a veranda pole to give a veranda effect. Simply locate the veranda pole (DT0091) in the pockets in the relevant panel. Check individual entries for details.

### Storm buckles and straps:

Storm buckles and straps are provided as standard on all air volution models. Some other models include buckles and webbing straps can be purchased as an optional extra.

### Window lights:

Certain awnings come with windows in the roof with velcro fastening curtains to enhance the light inside your awning. Check individual entries for details.

### Enhanced Roof Profile:

SunnCamp's Enhanced Roof Profile is utilized on caravan awnings and motor awnings manufactured in our 300D Pro-Tek fabric, further complementing the appearance and providing a homely ambience.

### Privacy Screen:

Many of our motor awnings come as standard with a simple divider for the tunnel area which may be attached to divide the tunnel to offer privacy. Check catalogue entry for details.

### Multi-Zip Curtains:

You may have your curtains fully open, fully closed, veranda style or traditional style.

## Standard specification/features:

### Waterproof flysheet:

6000MM HH (except Protekta range). All flysheets comply with the latest British Standard Flame Retardant Regulations.

### Taped seams:

Main seams have been heat sealed with a polyurethane tape to give extra waterproof protection. Remaining seams and seams where tape has been broken during production and/ or to necessitate tie points, suspension points etc., should have seam sealant applied to them.

### Zips:

Heavy duty SunnCamp zips are used throughout our range of products.

### Windows:

All windows have curtains with velcro or toggle fixings.

### Colour coded poles and sleeves:

Where a product has different length poles, to aid setup our poles and sleeves are colour coded.

### Rear pads:

SunnCamp porch awnings come as standard with rear weather pads. Rear weather pad poles are not standard – please check individual entry for details.

### Draught skirt:

A PVC or PE draught skirt (varies over models) is included as standard with all porch awnings (except Swift Canopy and Protekta models).

### Figure of 8:

Supplied as standard on all motor awnings.

### Daylight panel:

Where necessary tents have been designed with a daylight panel (light colour fabric over the living area) enhancing light access.

### Cable entry point and tidy system:

All tents come with a zipped entrance allowing a mains lead to run safely into your tent. The cable tidy system which consists of velcro fastening points allows the cable from a mains powered light to be stored safely.

### Twilight Inner Tents:

Where inner tents are provided, they have been darkened for extra comfort.





**SunnCamp Dealer/Stockist:**

**SunnCamp UK**  
**[www.sunncamp.co.uk](http://www.sunncamp.co.uk)**

The weights, sizes, plans and colours shown in this brochure are given as an indication and are approximate. SunnCamp reserve the right to alter specifications as considered necessary without notice.

**ICON AIR®**    **ESTEEMED AIR®**  
1202

